City Bldg. Permit No.

## Floodplain Permit No. 2-98

# Development Permit Application

APPLICANT	Berry Manning		_ ADDRESS	182/ Lincoln Street		
Phone:	587-2104	ADDRESS OF	CONSTRUCTION	1827 Lincoln Street		
DESCRIPT	ION OF PROPOSE	D WORKS:				
	NEW BUILDIN	IG		MOBILE HOME PLACEMENT		
	Reside	ential		On Single Lot		
	Non/Re	sidential		In Mobile Home Par		
	ADDITION/AL	TERATION		Replacement		
	SUBDIVISION	OF LAND		New Placement		
***************************************	FILL					
	WATERCOURSE	ALTERATIO	N	OTHER		
Mark	et Value of Ex	cist. Prope	erty \$			
				\$		
	If this is	an Addition	n/Alteration	n, is the improvement of the already existing		
	Building?	-		or the arready existing		
Attach t	he following info	armation who	ra annlicabla.	Plane of the development to be un-		
Attach the following information where applicable: Plans of the development to be undertaken including any filling and any watercourse or drainage way alteration.						
Specific	ally, the follow:	ing informati	lon is require	d; (1) Mean sea level (MSL) eleva-		
				11 proposed structures; (2) MSL ele-		
				dproofed; (3) certification by a regis- floodproofing method meets the communi-		
				e extent to which any watercourse will		
				lood elevation data for a development		
or subal	vision greater t	nan ou lots (	or o acres.			
	THE FOLLOWI	NG IS TO BE	COMPLETED BY 1	THE LOCAL ADMINISTRATOR		
Proposed	development is	located in	AO Flood	Hzd.AreaFloodway		
Base Flo	od Elev. of Site	is: Depth	1 Source:	FIRM Map Eff.Date: March 15, 1994		
PLAN REV	IEW					
MSL Elev	ation/Depth Numb	er structure	is to be elev	rated/floodproofedfeet.		
Are nece	ssary information	n, certifica	tes and other	permits attached? X Yes No		
ACTION T	AKEN					
1 X	The proposed deve PERMIT IS APPROVE		n conformance	with applicable floodplain standards.		
	The proposed deve dards (explanatio	1 <del>-</del>		ance with applicable floodplain stan- ENIED		
	The proposed addiexisting building			% or more of the market value of the		
. 1	Date:	Local	Administrator			
				Paul D. Raymond, City Engineer		

### **ELEVATION CERTIFICATE**

O.M.B. No 3067-0077 Expires May 31, 1393

### FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.


SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BEHY Manning	POLICY NUMBER
STREET ADDRESS (Including Apt., Upit, Suite and/or Bldg, Number) OR P.O. ROUTE AND BOX NUMBER	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etg.) LOT 5, Block 3, Western Homes Sub.	THE REPORT OF THE PARTY.
Mountain Home Ide	aho 83647
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMA	TION
Provide the following from the proper FiRM (See Instructions):	- Ke
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM Z	ONE 6. BASE FLOOD ELEVATION (in AO Zones, use depth)
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGV 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a B the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7)	3FE for this building site, indicate
SECTION C BUILDING ELEVATION INFORMATION	
<ul> <li>2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the sof</li></ul>	mber of the reference level from ee Section B, Item 7). s feet above or eet above or below (check Idding's lowest floor (reference s No Unknown NGVD '29 Other (describe different than that used on
i. The reference level elevation is based on: A actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference lease this certificate will only be valid for the building during the course of construction. A post-construit be required once construction is complete.)	struction Elevation Certificate
5. The elevation of the lowest grade immediately adjacent to the building is: 3139.9 feet NG Section B, Item 7).	GVD (or other FIRM datum-see
SECTION D COMMUNITY INFORMATION	
. If the sommunity official responsible for verifying building elevations specifies that the reference levels not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of as defined by the ordinance is:	ation of the building's "lowest sole of tion B. Item 7".

#### SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30.VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. Understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

James J Howard	2471	
OWNEY	Howard Final n	
7675 Hill Rd. Suite	A BOISE	Idaho 83707
DOPRESS Howard	CITY 6/1/98	(208) STATE -0574
SIGNATURE	· / DATE	PHONE
Copies should be made of this Certificate	for: 1) community official, 2) insurance agen	t/company, and 3) building owner.
COMMENTS:		
		·



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.