S	0	17	1990	
	Sept.	1/.	1990	
-	Contraction of the local division of the			

FI	ood	p	lain	Permit	No.	6-90

Development Permit Application

ADDITION/ALTERATIONReplac ADDITION/ALTERATIONReplac SUBDIVISION OF LANDNew Pl FILL WATERCOURSE ALTERATION OTHER Market Value of Exist. Property \$ OTHER If this is an Addition/Alteration, is the improvement 50% or more of the market value of the already existi Building? Yes No Attach the following information where applicable: Plans of the development dertaken including any filling and any watercourse or drainage way alterati Specifically, the following information is required; (1) Mean sea level (MS tion of the lowest floor (including basement) of all proposed structures; (0) vation to which a proposed structure will be floodproofed; (3) certificati tered professional engineer or architect that the floodproofing method meet ty floodproofing criteria; (4) a description of the extent to which any wat be altered or relocated, and (5) base (100-year) flood elevation data for a or subdivision greater than 50 lots or 5 acres. 	
Dale McMurtrey Dale McMurtrey Sop N. 18th E. DESCRIPTION OF PROPOSED WORKS:	
X NEW BUILDING MOBILE HOME Residential In Mob Non/Residential New Pl NON MATERCOURSE ALTERATION OTHER Market Value of Exist. Property \$	
	E PLACEMENT
ADDITION/ALTERATION	ngle Lot
SUBDIVISION OF LANDNew Pl New Pl New Pl NATERCOURSE ALTERATIONOTHER Market Value of Exist. Property \$NA Estimated Cost of Proposed Construction \$ If this is an Addition/Alteration, is the improvement 50% or more of the market value of the already exist Building?YesNo Attach the following information where applicable: Plans of the development dertaken including any filling and any watercourse or drainage way alterati Specifically, the following information is required: (1) Mean sea level (MS tion of the lowest floor (including basement) of all proposed structures; (0) vation to which a proposed structure will be floodproofid; (3) certificatif tered professional engineer or architect that the floodproofig method meet ty floodproofing criteria; (4) a description of the extent to which any wat be altered or relocated, and (5) base (100-year) flood elevation data for a or subdivision greater than 50 lots or 5 acres. 	bile Home Parl
FILL PILL WATERCOURSE ALTERATION OTHER Market Value of Exist. Property \$	cement
WATERCOURSE ALTERATION OTHER Market Value of Exist. Property \$	lacement
Market Value of Exist. Property \$	
Estimated Cost of Proposed Construction \$	
Estimated Cost of Proposed Construction \$	
THE FOLLOWING IS TO BE COMPLETED BY THE LOCAL ADMINISTRATOR Proposed development is located in X Flood Hzd.Area Base Flood Elev. of Site is: 3143,50 Source: FIRM Map Eff.Date: 9 PLAN REVIEW Map Eff.Date: 9 MSL Elevation/Depth Number structure is to be elevated/floodproofed 3144 Are necessary information, certificates and other permits attached? X Ye ACTION TAKEN X The proposed development is in conformance with applicable floodplate O The proposed development is not in conformance with applicable floodplate O The proposed development is not in conformance with applicable floodplate	tion. MSL) eleva- (2) MSL ele- tion by a regis- ets the communi- atercourse will
PLAN REVIEW Image: Control of the structure is to be elevated/filogdiproofed_3144 MSL Elevation/Depth Number structure is to be elevated/filogdiproofed_3144 Are necessary information, certificates and other permits attached? X Yea ACTION TAKEN X The proposed development is in conformance with applicable floodplate PERMIT IS APPROVED The proposed development is not in conformance with applicable floodplate O The proposed development is not in conformance with applicable floodplate O The proposed development is not in conformance with applicable floodplate	Floodway
MSL Elevation/Depth Number structure is to be elevated/floodproofed 3144 Are necessary information, certificates and other permits attached? X Ye ACTION TAKEN X The proposed development is in conformance with applicable floodplat PERMIT IS APPROVED The proposed development is not in conformance with applicable flood dards (explanation attached). PERMIT IS DENIED	
Are necessary information, certificates and other permits attached? X Ye <u>ACTION TAKEN</u> X The proposed development is in conformance with applicable floodplat PERMIT IS APPROVED The proposed development is not in conformance with applicable flood dards (explanation attached). PERMIT IS DENIED	
ACTION TAKEN X The proposed development is in conformance with applicable floodplat PERMIT IS APPROVED The proposed development is not in conformance with applicable flood dards (explanation attached). PERMIT IS DENIED	
 PERMIT IS APPROVED The proposed development is not in conformance with applicable floor dards (explanation attached). PERMIT IS DENIED 	
dards (explanation attached). PERMIT IS DENIED	ain standards.
The proposed addition/alteration is not 50% or more of the market va	odplain stan-
existing building. NO FLOOD PERMIT REQUIRED	value of the
Date: 9/28/90 Local Administrator: Paul D, Raymond, City City Bldg Permit No. 344.3	y Engineer

1.

6-90 O.M.B. NO. 3067-0077 Expires May 31, 1996

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME Summers Funeral Home/Dale McMurtrey	POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 500 N. $18th$ E $_{\bullet}$		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) Mountain Home	Idaho	83647
CITY	STATE	ZIP CODE

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE LOMR Letter	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
160058 0005 B	1	FIRM	9-30-88	А	

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: https://www.elevation.com

SECTION C BUILDING ELEVATION INFORMATION

1.	Ising the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 th	nat best
	escribes the subject building's reference level	

2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE).	The top of the reference level floor from the selected diagram is at an elevation
of	tum-see Section B. Item 7).

- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of Level 1. Le
- * (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is 2.0 feet above or below (check one) the highest grade adjacent to the building. As per LOMR letter/interim during restudy
 - (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is _____. feet above ____ or below ____ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? ____ Yes ____ No ____ Unknown
- 3. Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
- 4. Elevation reference mark used appears on FIRM: 🗌 Yes 🕱 No (See Instructions on Page 4) LOMR letter/interim during
- 5. The reference level elevation is based on: 🗴 actual construction 🗌 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- 6. The elevation of the lowest grade immediately adjacent to the building is: ______. feet NGVD (or other FIRM datum-see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

1. If the community officia	al responsible for verifying building elevations s	pecifies that the reference level indicated in S	Section C, Item 1
is not the "lowest floor"	' as defined in the community's floodplain mana	agement ordinance, the elevation of the build	ing's "lowest

floor" as defined by the ordinance is:

2. Date of the start of construction or substantial improvement <u>9-17-90</u>


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Paul Ray	mond	2. 1. N. A.		-			
CERTIFIER'S NAME	and a standard a Standard a standard a st			LICENSE NUI	MBER (or Affix Sea	l)	
City Engine	er/Floodplain	Administrat	COMPANY N		ntain Home	6	
P.O. Box 10	. 1985	1	Mountain H	Ome		Idaho	83647
ADDRESS			CITY		an an an an a' san a	STATE	ZIP
	D		2 2 4 4 7 7 4 4	10-17-9	0	587-2104	
SIGNATURE	Imm	l		DAT	Έ	PHONE	
Copies should be	1.7	ficate for: 1) cor	nmunity offic	ial, 2) insurar	nce agent/com	pany, and 3) buildin	g owner.
COMMENTS:	Elevated 2' on file.	above natu	cal grade	of ground	as permit	ted by LOMR le	tter
Part and the second second			a o e a 7				
	annesis anti-	en e					
	An an and the second	and the second					a and a second



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.